



(12) UK Patent (19) GB (11) 2 092 797 B

(54) Title of invention

Entertainment machines

(51) INT CL⁴: G07F 17/34

(21) Application No
8136411

(22) Date of filing
2 Dec 1981

(30) Priority data

(31) 8103754
8110547

(32) 6 Feb 1981
3 Apr 1981

(33) United Kingdom (GB)

(43) Application published
18 Aug 1982

(45) Patent published
5 Jun 1986

(52) Domestic classification
G4V 118 AA
U1S 1174 G4V

(56) Documents cited
GBA 2090690
GBA 2072914
GBA 2067807
GB 1591623
GB 1582917
GB 1348309

(58) Field of search
G4V

(73) Proprietor
Barcrest Limited,
Richmond Street
Aston-under-Lyne
Lancashire OL7 0AU



(72) Inventor
John Laurence Wain

(74) Agent and/or
Address for Service
Sydney E. McCaw & Co.,
41-51 Royal Exchange
Cross Street
Manchester M2 7BD

LONDON THE PATENT OFFICE

GB 2 092 797 B

BEST AVAILABLE COPY

FIG. 1FIG. 2

ENTERTAINMENT MACHINES

This invention relates to entertainment machines of the kind, hereinafter referred to as the kind defined, which can be operated by a player at the start of a game,

5. after actuation of a coin or token mechanism of the machine, to initiate performance of first machine operations represented by visual displays of a moving or changing nature at a plurality of display regions on the machine, such first operations terminating at
10. random at the end of the game in a combination of fixed visual displays at such regions, and which is arranged to perform further operations resulting in a win indication in the event that said combination of fixed displays at the end of the game is of a predeter-
15. mined nature.

- With an entertainment machine of the kind defined which is a fruit machine and utilises a plurality of rotatable reels with symbols (such as pictures of fruit) around the periphery of same to provide the visual
20. displays, it is known to provide "nudge" controls which are rendered operable at the end of some (randomly selected) games and can then be actuated by the player to effect limited indexing of one or more of the reels such as to change the symbols displayed therewith. In
 25. this way the player can try to convert a losing combination of symbols into a winning combination by the

exercise of skill.

- This known nudge feature is generally popular. However, in some cases, especially where a player is not specially skilful in the use of the nudge controls the known nudge feature may present little attraction or may even detract from the entertainment value of the machine in so far as the player may not feel able to take full advantage of the opportunity for improving his position with which he is presented.
10. An object of the present invention is to provide a machine of the kind defined with which the player can be provided with an opportunity of improving the combination obtained without requiring such player to exercise special expertise or skill.
15. According to the invention therefore there is provided a machine of the kind defined having a first control device which is operable to provide a control facility to cause a fixed display at at least one said display region to change stepwise to a different fixed display as selected automatically
20. by the machine by reference to displays available for selection with the aim of improving the combination of fixed displays at said display regions, and further control devices which can be operated by the player alternatively to the said first control device to effect stepwise changing of such
25. fixed display under the control of the player.
- In one embodiment, limitations are imposed on the operation of said control facility such that it is not ensured

that said combination of fixed displays after said control facility operation always constitutes a winning combination.

With the invention whenever said control facility is made available and is brought into operation the player may

5. be provided with an opportunity of improving the combination obtained, particularly by converting a non-winning combination into a winning combination.

without requiring the exercise of special expertise or skill on behalf of the player. Accordingly, the provision of the said control in the machine of the invention can appreciably contribute to the enter-

5. tainment value thereof. The said control facility may become available at the end of a game i.e. after performance and termination of said first operations and before performance of said further operations. However, it is also possible for the said control facility to
10. be made available at the start of a game i.e. after actuation of the coin mechanism but before performance of said first operations (or even wholly or partially in substitution therefor).

Most preferably the machine of the invention is a
15. fruit machine utilising a plurality (usually three or four) rotatable reels with symbols (such as pictures of fruit) around the periphery of same to provide the moving visual displays, and in this case winning combinations may require the presence of a plurality of
20. symbols of the same kind and the said control may be arranged to change the fixed display at one or some of the display regions to symbols thereat of like kind to the symbol displayed at a first one of the said display regions. However, it is to be understood that the
25. invention is not intended to be restricted to this kind of machine, and the machine of the invention may utilise

moving members other than reels, or may utilise a changing display not involving moving members such as a changing pattern of illuminated lamps or a changing vdu display. Also, the display may involve symbols other than fruit and
5. may involve any kind of winning combination thereof.

Most preferably the said control facility is made available in a predetermined and/or random manner at the start or end of some games only. When made available the player is provided with some degree of choice in that, for
10. example, the control facility comes into operation only after initiation thereof by a player-operable switch, or a player-operable cancel switch is provided to enable the player to cancel the control facility if desired. In a particularly preferred embodiment the control facility is arranged to
15. come into operation after initiation by a player-operable control switch and the arrangement is such that operation of the said control switch renders inoperable the additional player-operable control devices and vice versa.

The invention will now be described further by way of
20. example only and with reference to the accompanying drawings in which:-

- Fig. 1 is a diagrammatic representation of a front panel of one form of a machine according to the present invention; and
25. Fig. 2 is a diagrammatic representation illustrating the construction of such machine.

The machine is a fruit machine having three reels 1a,

1b and 1c which are rotatable within a housing behind a window 2 in a front panel 3 thereof. Each reel 1 has pictures of fruit (designated A, B, C) at 20 positions around the periphery of same, and rotation of each reel is initiated 5. and also arrested by a solenoid device 4 having a pawl engageable with teeth around the edge of the reel. Actuation of the solenoid 4 causes the pawl to be withdrawn from engagement with the teeth and to cause the reel 1 to rotate freely, and deactuation of the solenoid causes the pawl to 10. drop back into engagement with the teeth to arrest the reel in one of 20 stopping positions thereof in which one of the pictures of fruit on the periphery of same is in precise registration with the window 2. Each stopping position is identified by _____

a respective coded arrangement of holes in a side wall of the reel and the codes are read by a bank of photosensitive devices 5 which receive light from a light source or sources through the holes.

5. In use, the machine is actuated by a player by insertion of one or more coins or tokens into a coin mechanism 6, and a starter button 7 is pressed to operate a control unit 8 which causes the three reels 1 to be set in rotation for different random periods of time.
10. After the reels have come to rest, the stopping positions thereof are identified by the photosensitive devices 5 in conjunction with data processing circuitry 9 and a win indication is produced which may enable a pay-out mechanism 10 to be actuated by a pay-out button 13 in
15. the event that the identified stopping positions correspond to the display of a predetermined winning combination of fruit (say three fruit of the same kind) through the window 2. Coins or tokens paid out are delivered to the player through an outlet 14.
20. Three control buttons 12a, 12b, 12c, are arranged respectively beneath the reels 1 on the front panel and at the end of some games, as selected on a random basis, one or more such buttons are rendered operable and are illuminated to indicate such operability to the player.
25. These buttons 12 perform a conventional nudge function that is, the player can press the illuminated buttons

- one at a time to effect indexing of the associated reels with the aim of converting a non-winning combination into a winning combination. In accordance with conventional practice the arrangement may be such that the reels
5. are movable stepwise one position at a time (or alternatively in a freely rotating manner) either in one direction only or selectively in either direction (in which case pairs of nudge buttons for forwards and backwards movement may be required) with an overall limitation being imposed on the scope of such movement (in terms of time period or overall number of reel positions changed).

- In addition to the nudge buttons 12 the machine has on the front panel thereof an automatic adjustment
15. button 15. This is rendered operable (and is illuminated whenever the nudge facility is made available. The button 15 and the buttons 12 are available for use optionally by the player. If the player decides to use the buttons 12 in the manner described above the button 15 is deactuated. Similarly operation of the button 15 deactuates the buttons 12. When the button 15 is operated an automatic adjustment mechanism 16 causes the position of one or more of the reels to be adjusted with the aim of changing the displayed combination of
 25. symbols on the winning line from the original losing combination to a new, winning combination, such change

being effected automatically and without the involvement of the player. The operation of the mechanism 16 may be such that the attainment of a winning combination is guaranteed and this may be achieved in any suitable

5. manner for example by moving one or two of the reels to positions at which a winning combination is completed with the displayed symbol of the or each other reel. The attainment of a winning combination however need not be guaranteed and instead it is possible for there to
10. be some limitation on the scope of adjustment of the reel positions (as by time period or overall number of positions adjusted) whereby such adjustment mechanism attempts to attain a winning combination but in some cases may not be capable of doing so.
15. With this arrangement if a player is not sufficiently confident of his expertise with the nudge buttons he can instead operate the adjustment mechanism when this facility is made available whereby he is provided with an opportunity of improving his position without having
20. to exercise any skill in order to take advantage of such opportunity. On the other hand, if the player is confident of his skill he has the option of utilising the nudge buttons as an alternative to the adjustment button and this may be advantageous to the skilled player in
25. so far as he may be able to obtain a winning combination of higher value than that which the adjustment mechanism

would produce.

Adjustment of the reel positions with the adjustment mechanism may be achieved in any suitable manner. Thus, one or more of the reels (say the middle and last reel 5. lb, lc) may be set in rotation and may continue rotating until the pertaining banks of photosensitive devices 5 determines that such reels lb, lc are at positions (or are about to attain positions) at which the fruit on same as displayed through the window 2 are the same as 10. the displayed fruit of the first reel la. The reels lb, lc can then be arrested in this position. Alternatively, utilising knowledge of the sequence of symbols on the reels, the reels may be indexed stepwise through predetermined numbers of stopping positions 15. with the aim of attaining the nearest or the highest value winning combination within a predetermined maximum number of index steps.

It is of course to be understood that the invention is not intended to be restricted to the details of the 20. above embodiment which are described by way of example only. Thus, for example, the arrangement may be such that the adjustment feature when available comes into operation automatically after allowing a short period of time for the player to cancel the automatic adjust- 25. ment by operating the nudge buttons (or by operating a cancel button which replaces the button 15).

Further, as an alternative to the use of the solenoids 4 and the code-reading sensors 5 it is possible to use, for example, respective stepper motors for driving the respective reels, and a position detection system which responds to and 5. counts stopping positions from datum points on the reels (defined for example by light sensitive devices which receive light through holes in the reels).

Still further, as an alternative to the use of reels it is possible to use a vdu display which stimulates the rotation 10. of reels.

Further, it is to be understood that operation of the adjustment feature is not restricted to the end of a game as described above. Instead it is possible for the adjustment feature to be made available at the start of a game possibly 15. in conjunction with a "hold" facility. Thus, the arrangement may be such that the adjustment feature can be used at the start of a game and, in the event that a winning combination is thereby obtained this can be held to guarantee a payout. If a winning combination is not obtained the player can then 20. play the game in the normal manner.

Attention is directed to Application 8424884 which has been divided out of the present Application.

CLAIMS

1. A machine of the kind defined having a first control device which is operable to provide a control facility to cause a fixed display at at least one said display region to
5. change stepwise to a different fixed display as selected automatically by the machine by reference to displays available for selection with the aim of improving the combination of fixed displays at said display regions, and further control devices which can be operated by the player alternatively to
10. the said first control device to effect stepwise changing of such fixed display under the control of the player.
2. A machine according to claim 1, wherein limitations are imposed on the operation of said control facility such that it is not ensured that said combination of fixed displays
15. after said control facility operation always constitutes a winning combination.
3. A machine according to claim 1 or 2, which is a fruit machine utilising a plurality of rotatable reels with symbols around the periphery of same to provide the moving visual
20. displays.
4. A machine according to claim 1 or 2, which is a fruit machine utilising a changing vdu display simulating the rotation of reels to provide the moving visual displays.
5. A machine according to any one of claims 1 to 4, wherein
25. said control facility is made available for some games only.
6. A machine according to any one of claims 1 to 5, wherein said control facility when made available is arranged to be

brought into operation only after initiation thereof by a player-operable switch.

7. A machine according to any one of claims 1 to 5, wherein said control facility when made available is arranged to be brought into operation automatically unless cancelled by a player-operable switch.

8. A machine according to any one of claims 1 to 7, which is a fruit machine and wherein said additional player-operable control devices comprise nudge controls.

10. 9. A machine according to claim 1, wherein said control facility is arranged to operate such that it is ensured that said combination of fixed displays after said control facility operation always constitutes a winning combination.

10. A machine according to any one of claims 1 to 9, wherein said control facility is made available at the end of a game.

11. A machine substantially as hereinbefore described with reference to and as illustrated in the accompanying drawings.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.